

Links between Previously Announced and New Cases

There are no new cases linked to existing or new clusters today.

Summary of Imported Cases

	Case Number	Date of Confirmation	Onset date	Age (years)	Gender	Nationality	Travel History	Exposure	Links	Cluster
~	58347	18 Nov	Asymptomatic	18	M	Russia (Short-Term Visit Pass holder)	Russia	Imported		
~	58348	19 Nov	11 Nov	38	M	SC	Sweden	Imported		
~	58349	19 Nov	Asymptomatic	28	F	Indonesia (Work Permit holder)	Indonesia	Imported		
~	58350	19 Nov	Asymptomatic	40	F	Indonesia (Work Permit holder)	Indonesia	Imported		

Cases marked (~) had already been placed on Stay-Home Notice upon arrival in Singapore.

Public Places Visited by Cases in the Community during Infectious Period¹

Date	Time	Location (Address)
6 Nov	1745h to 1830h	Kopitiam @ Jurong East (10 Jurong East Street 12)
8 Nov	1145h to 1520h	Bugis Street (3 New Bugis Street)
8 Nov	2030h to 2115h	Kopitiam @ Jurong East (10 Jurong East Street 12)

Those who had been identified as close contacts of confirmed cases would already have been notified by MOH.

As a precautionary measure, persons who had been at these locations during the specified timings should monitor their health closely for 14 days from their date of visit. They should see a doctor promptly if they develop symptoms of acute respiratory infection (such as cough, sore throat and runny nose), as well as fever and loss of taste or smell, and inform the doctor of their exposure history.

Individuals may access the SafeEntry Location Matching Self-Check service via the TraceTogether App, SingPass Mobile, or at <https://wereyouthere.safeentry.gov.sg> to check whether they were at these locations during the specified timings, based on their own SafeEntry records.

There is no need to avoid places where confirmed cases of COVID-19 have been. The National Environment Agency will engage the management of affected premises to provide guidance on cleaning and disinfection.

¹ Excludes residence, workplaces, healthcare facilities and public transport. This list will be updated on a rolling 14-days basis, i.e. one incubation period, and as epidemiological investigations progress.